

# MURO H78

# Self Serve Air Screen Wall Refrigeration Showcase


## STANDARD FEATURES

- Double pane side glass ends (26 1/2"D only)
- Dixell digital control
- LED lighting on each shelf and canopy
- Straight or inclined shelves
- Bottom evaporator ventilation cooling
- Self contained air cooled condensing unit
- Stainless steel foam in place bottom and top
- Adjustable feet
- Cases ship standard stainless steel interior and exterior



## OPTIONS

- Stainless steel side panels in lieu of glass
- Roll down locking shutter
- Shelf fence for inclined position
- Epoxy RAL color interior over stainless steel
- Cold storage
- Remote/water cooled condensing unit
- RAL color/laminate front and sides
- Condensate pan
- Casters



MURO H78 SELF SERVE (SECTION A & B - 26 9/16"D)

TECHNICAL FEATURES		MODELS				
		MURO H78 640	MURO H78 1040	MURO H78 1290	MURO H78 1540	MURO H78 2040
External Dimensions (L-D-H)	Inches	25 1/4" - 26 9/16" - 78 3/4"	41" - 26 9/16" - 78 3/4"	50 3/4" - 26 9/16" - 78 3/4"	60 3/4" - 26 9/16" - 78 3/4"	80 1/4" - 26 9/16" - 78 3/4"
	Inches-MM	640 - 674 - 2000	1040 - 674 - 2000	1290 - 674 - 2000	1540 - 674 - 2000	2040 - 674 - 2000
Crated Dimensions (L-D-H)	Inches	31" - 32" - 85"	46" - 32" - 85"	56" - 32" - 85"	66" - 32" - 85"	84" - 32" - 85"
	Inches-MM	787 - 812 - 2160	1168 - 812 - 2160	1422 - 812 - 2160	1677 - 812 - 2160	2133 - 812 - 2160
Air Cooled Condensing Unit	---	1	1	1	1	1
BTU's @ +14°F Evap Temperature	BTU'S	3750 BTU'S	4810 BTU'S	5450 BTU'S	6800 BTU'S	8200 BTU'S
Power Supply	(V/Ph/Hz)	220/1/60	220/1/60	220/1/60	220/1/60	220/1/60
Amperage	(A)	6.5A	8A	9A	10A	11.7A
Operating Temperature	°F	40°F	40°F	40°F	40°F	40°F
Net Weights	Kg/Lb	130Kgs / 286Lbs	200Kgs / 440Lbs	240Kgs / 528Lbs	300Kgs / 660Lbs	400Kgs / 880Lbs
Crated Weights	Kg/Lb	145Kgs / 319Lbs	220Kgs / 484Lbs	255Kgs / 561Lbs	330Kgs / 726Lbs	425Kgs / 935Lbs

\* 85°F Ambient and 55% Relative humidity \* Floor sink recommended on these models

MURO H78 SELF SERVE (SECTION C - 35 1/4"D)

TECHNICAL FEATURES		MODELS			
		MURO H78 1040	MURO H78 1290	MURO H78 1540	MURO H78 2040
External Dimensions (L-D-H)	Inches	41" - 35 1/4" - 78 3/4"	50 3/4" - 35 1/4" - 78 3/4"	60 3/4" - 35 1/4" - 78 3/4"	80 1/4" - 35 1/4" - 78 3/4"
	Inches-MM	1040 - 896 - 2000	1290 - 896 - 2000	1540 - 896 - 2000	2040 - 896 - 2000
Crated Dimensions (L-D-H)	Inches	46" - 41 1/2" - 85"	56" - 41 1/2" - 85"	66" - 41 1/2" - 85"	84" - 41 1/2" - 85"
	Inches-MM	1168 - 1054 - 2160	1422 - 1054 - 2160	1677 - 1054 - 2160	2133 - 1054 - 2160
Air Cooled Condensing Unit	---	1	1	1	1
BTU's @ +14°F Evap Temperature	BTU'S	4800 BTU'S	5120 BTU'S	6400 BTU'S	7680 BTU'S
Power Supply	(V/Ph/Hz)	220/1/60	220/1/60	220/1/60	220/1/60
Amperage	(A)	8A	9A	10A	11.7A
Operating Temperature	°F	40°F	40°F	40°F	40°F
Net Weights	Kg/Lb	200Kgs / 440Lbs	240Kgs / 528Lbs	300Kgs / 660Lbs	400Kgs / 880Lbs
Crated Weights	Kg/Lb	220Kgs / 484Lbs	255Kgs / 561Lbs	330Kgs / 726Lbs	425Kgs / 935Lbs

\* 85°F Ambient and 55% Relative humidity \* Floor sink recommended on these models



361-367 Beach Road, Burlingame, CA 94010  
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
 sales@oscartek.com | www.oscartek.com



# MURO H78

# Self Serve Air Screen Wall Refrigeration Showcase

MURO H78 (SECTION A & B - 26 9/16"D): SECTION VIEWS, PLAN VIEWS, AND FRONT ELEVATIONS


OPTIONAL: COLD STORAGE

CURVED SIDE SECTION A - 26 1/2"D


SQUARE SIDE SECTION B - 26 1/2"D

CURVED SIDE SECTION A - 26 1/2"D


SQUARE SIDE SECTION B - 26 1/2"D




CU TYPE








SQ TYPE











CU TYPE







SQ TYPE



MODEL 640 NOT AVAILABLE IN COLD STORAGE



MODEL 640 NOT AVAILABLE IN COLD STORAGE



361-367 Beach Road, Burlingame, CA 94010  
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
 sales@oscartek.com | www.oscartek.com




# MURO H78

# Self Serve Air Screen Wall Refrigeration Showcase

## MURO H78 (SECTION C - 35 1/4"D) : SECTION VIEWS, PLAN VIEWS, AND FRONT ELEVATIONS


OPTIONAL: COLD STORAGE

SQUARE SIDE SECTION C - 35 1/4"D







SQ TYPE









SQUARE SIDE SECTION C - 35 1/4"D







SQ TYPE



MODEL 640 NOT AVAILABLE IN COLD STORAGE



MODEL 640 NOT AVAILABLE IN COLD STORAGE



361-367 Beach Road, Burlingame, CA 94010  
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
 sales@oscartek.com | www.oscartek.com

