



Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____



Photo shown with optional RAL color finish. Standard cases are polished stainless steel exterior.



Visit our website for more finishing options and RAL colors www.oscartek.com

MURO H12 DRY/HOT Self-Serve Showcase

MURO H12 DRY/HOT MODELS: MURO H12 H1000, MURO H12 H1200, MURO H12 H1500, MURO H12 H1800, MURO H12 H2000, MURO H12 HA90SQ

STANDARD FEATURES

- Double pane side glass ends
- Heat lamp
- Stainless steel shelf
- Polished stainless steel interior and exterior
- Adjustable feet
- Cases ship standard polished stainless steel interior and exterior

OPTIONS

- Stainless steel side panels in lieu of glass
- Shelf fence for inclined position
- Epoxy RAL color interior and exterior over stainless steel
- RAL color/custom plastic wood laminate exterior front and sides
- Unfinished panels to accept millwork by others
- Custom height chassis modification
- Casters

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 650.342.2400 | Fax: 650.342.7400
www.oscartek.com






Project Name: _____
 Item #: _____ Quantity: _____

MURO H12 DRY/HOT


MURO H12 DRY/HOT MODELS: MURO H12 H1000, MURO H12 H1200, MURO H12 H1500, MURO H12 H1800, MURO H12 H2000, MURO H12 HA90SQ

STANDARD: MURO H12 DRY/HOT – SELF-SERVE


PLAN VIEWS



FRONT ELEVATIONS: (CUSTOMER SIDE)



STANDARD: MURO H12 DRY/HOT A90SQ: PLAN VIEW



ELECTRICAL LEGEND

ϕ	POWER
--------	-------

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com




MURO H12 DRY/HOT

MURO H12 DRY/HOT MODELS: MURO H12 H1000, MURO H12 H1200, MURO H12 H1500, MURO H12 H1800, MURO H12 H2000, MURO H12 HA90SQ

STANDARD: MURO H12 DRY/HOT – SELF-SERVE

SECTION VIEW:



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com





Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____

MURO H12 DRY/HOT

MURO H12 DRY/HOT MODELS: MURO H12 H1000, MURO H12 H1200, MURO H12 H1500, MURO H12 H1800, MURO H12 H2000, MURO H12 HA90SQ

MURO H12 DRY-HOT SELF SERVE				
TECHNICAL FEATURES		MODELS		
		MURO H12 H1000	MURO H12 H1200	MURO H12 H1500
External Dimensions (L-D-H) Inches-MM	Inches MM	* 39 1/2" - 32 1/2" - 53 1/8" *1003 - 825 - 1350	*47 3/8" - 32 1/8" - 53 1/8" *1203 - 825 - 1350	*59 3/16" - 32 1/2" - 53 1/8" *1503 - 825 - 1350
Crated Dimensions (L-D-H) Inches-MM	Inches MM	46" - 39" - 60" 1168 - 991 - 1524	55" - 39" - 60" 1397 - 991 - 1524	66" - 39" - 60" 1676 - 991 - 1524
Operating Temperature	°F	140	140	140
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	1600/8,0	1950/9,8	2300/11,5
Climate Class	°F /H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Lb	310	390	540
Crated Weights	Lb	380	470	610

***DIMENSIONS ARE WITH POLISHED S/S SIDES**

MURO H12 DRY-HOT SELF SERVE				
TECHNICAL FEATURES		MODELS		
		MURO H12 H1800	MURO H12 H2000	MURO H12 HA90
External Dimensions (L-D-H) Inches-MM	Inches MM	*71" - 32 1/2" - 53 1/8" *1803 - 825 - 1350	*78 7/8" - 32 1/2" - 53 1/8" *2004 - 825 - 1350	*59 1/8" - 32 1/2" - 53 3/16" *1502 - 825 - 1351
Crated Dimensions (L-D-H) Inches-MM	Inches MM	77" - 39" - 60" 1955 - 991 - 1524	77" - 39" - 60" 1955 - 991 - 1524	66" - 39" - 60" 1676 - 991 - 1524
Operating Temperature	°F	140	140	140
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	2800/14,0	3000/15,0	3400/16,5
Climate Class	°F /H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Lb	600	670	730
Crated Weights	Lb	690	770	830

***DIMENSIONS ARE WITH POLISHED S/S SIDES**

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 650.342.2400 | Fax: 650.342.7400
www.oscartek.com

