




Photo shown with optional RAL color finish. Standard cases are polished stainless steel exterior.



Visit our website for more finishing options and RAL colors
www.oscartek.com

MURO H13 DRY/HOT

Self-Serve Showcase

MURO H13 DRY/HOT MODELS: MURO H13 H1000, MURO H13 H1200, MURO H13 H1500, MURO H13 H1800, MURO H13 H2000, MURO H13 HA90SQ

STANDARD FEATURES

- Double pane side glass ends
- Heat lamp
- Stainless steel shelf
- Polished stainless steel interior and exterior
- Adjustable feet
- Cases ship standard polished stainless steel interior and exterior

OPTIONS

- Stainless steel side panels in lieu of glass
- Shelf fence for inclined position
- Epoxy RAL color interior and exterior over stainless steel
- RAL color/custom plastic wood laminate exterior front and sides
- Unfinished panels to accept millwork by others
- Custom height chassis modification
- Casters

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.




Project Name: _____
 Item #: _____ Quantity: _____

MURO H13 DRY/HOT


MURO H13 DRY/HOT MODELS: MURO H13 H1000, MURO H13 H1200, MURO H13 H1500, MURO H13 H1800, MURO H13 H2000, MURO H13 HA90SQ

STANDARD: MURO H13 DRY/HOT – SELF-SERVE


PLAN VIEWS



FRONT ELEVATIONS: (CUSTOMER SIDE)



STANDARD: MURO H13 DRY/HOT A90SQ: PLAN VIEW



ELECTRICAL LEGEND

ϕ	POWER
--------	-------

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com




MURO H13 DRY/HOT

MURO H13 DRY/HOT MODELS: MURO H13 H1000, MURO H13 H1200, MURO H13 H1500, MURO H13 H1800, MURO H13 H2000, MURO H13 HA90SQ

STANDARD: MURO H13 DRY/HOT – SELF-SERVE

SECTION VIEW:



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com





Project Name: _____
 Item #: _____ Quantity: _____

MURO H13 DRY/HOT

MURO H13 DRY/HOT MODELS: MURO H13 H1000, MURO H13 H1200, MURO H13 H1500, MURO H13 H1800, MURO H13 H2000, MURO H13 HA90SQ

MURO H13 DRY-HOT SELF SERVE				
TECHNICAL FEATURES		MODELS		
		MURO H13 H1000	MURO H13 H1200	MURO H13 H1500
External Dimensions (L-D-H) Inches-MM	Inches MM	* 39 1/2" - 40 3/8" - 53 1/8" *1003 - 1025 - 1350	*47 3/8" - 40 3/8" - 53 1/8" *1203 - 1025 - 1350	*59 3/16" - 40 3/8" - 53 1/8" *1503 - 1025 - 1350
Crated Dimensions (L-D-H) Inches-MM	Inches MM	46" - 47" - 60" 1168 - 1194 - 1524	55" - 47" - 60" 1397 - 1194 - 1524	66" - 47" - 60" 1676 - 1194 - 1524
Operating Temperature	°F	140	140	140
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	1950/9,8	2400/12,0	2800/14,5
Climate Class	°F /H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Lb	360	440	600
Crated Weights	Lb	440	520	690

***DIMENSIONS ARE WITH POLISHED S/S SIDES**

MURO H13 DRY-HOT SELF SERVE				
TECHNICAL FEATURES		MODELS		
		MURO H13 H1800	MURO H13 H2000	MURO H13 HA90
External Dimensions (L-D-H) Inches-MM	Inches MM	*71" - 40 3/8" - 53 1/8" *1803 - 1025 - 1350	*78 7/8" - 40 3/8" - 53 1/8" *2004 - 1025 - 1350	*59 1/8" - 40 3/8" - 53 3/16" *1502 - 1025 - 1351
Crated Dimensions (L-D-H) Inches-MM	Inches MM	77" - 47" - 60" 1955 - 1194 - 1524	77" - 47" - 60" 1955 - 1194 - 1524	66" - 47" - 60" 1676 - 1194 - 1524
Operating Temperature	°F	140	140	140
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	3100/15,5	3800/18,5	4000/20,0
Climate Class	°F /H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Lb	700	750	800
Crated Weights	Lb	790	850	900

***DIMENSIONS ARE WITH POLISHED S/S SIDES**

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com

