



Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____



Photos shown with glass sides, option RAL color finish exterior and interior. Cases ship standard stainless steel interior and exterior.



Visit our website for more finishing options and RAL colors

www.oscartek.com

MURO H78 HOT (DRY) Self-Serve Air Screen Wall Showcase

MODELS: MURO H78 H600, MURO H78 H1000,
MURO H78 H1200, MURO H78 H1500

STANDARD FEATURES

- Match H78 series Refrigerated Grab n Go
- Double pane glass ends
- Dixell digital control
- Heated lamp on each shelf and canopy
- Stainless steel shelves with heated deck plates
- Stainless steel foam in place bottom and top
- Adjustable feet
- Cases ship standard stainless steel interior and exterior

OPTIONS

- Convection heat/fan
- Solid sides: add 13/16" each side
- Epoxy RAL color interior and exterior over stainless steel
- RAL color/custom plastic wood laminate exterior front and sides
- Unfinished panels to accept millwork by others
- Hot or Cold storage
- Condensate evaporator pan with fan
- Casters
- Custom height Chassis modification
- Able to match to Provino wine, charcuterie, and Freezer

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 650.342.2400 | Fax: 650.342.7400
www.oscartek.com






Project Name: _____
 Item #: _____ Quantity: _____

MURO H78 HOT (DRY)


MODELS: MURO H78 H600, MURO H78 H1000, MURO H78 H1200, MURO H78 H1500

STANDARD: MURO H78 HOT SELF SERVE

PLAN VIEWS



FRONT ELEVATIONS



ELECTRICAL LEGEND

∞	REFRIGERATION LINES
⊕ 1"	DRAIN
⚡	POWER

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com




MURO H78 HOT (DRY)

MODELS: MURO H78 H600, MURO H78 H1000, MURO H78 H1200, MURO H78 H1500


STANDARD: MURO H78 HOT SELF SERVE

SECTION VIEWS

**OPTION #1 - TO MATCH WITH
MURO H78 SELF CONTAINED
CASES WHEN JOINED**



**OPTION #2 - TO MATCH
WITH MURO H78 REMOTE
CASES WHEN JOINED**



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.



Project Name: _____
 Item #: _____ Quantity: _____

MURO H78 HOT (DRY)

MODELS: MURO H78 H600, MURO H78 H1000, MURO H78 H1200, MURO H78 H1500

MURO H78 HOT (DRY) SELF SERVE					
TECHNICAL FEATURES		MODELS			
		MURO H78 HOT 600	MURO H78 HOT 1000	MURO H78 HOT 1200	MURO H78 HOT 1500
External Dimensions (L-D-H) Inches-MM	Inches MM	*25 3/16" - 27 7/8" - 78 3/4" *640 - 708 - 2000	*40 15/16" - 27 7/8" - 78 3/4" *1040 - 708 - 2000	*48 13/16" - 27 7/8" - 78 3/4" *1240 - 708 - 2000	*60 5/8" - 27 7/8" - 78 3/4" *1540 - 708 - 2000
Crated Dimensions (L-D-H) Inches-MM	Inches MM	31" - 34" - 85" 787 - 864 - 2160	46" - 34" - 85" 1168 - 864 - 2160	56" - 34" - 85" 1422 - 864 - 2160	67" - 34" - 85" 1701 - 864 - 2160
Operating Temperature	°F	177°F	177°F	177°F	177°F
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	1950/9.9	2650/12.8	3400/15.9	4200/17.5
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Kg/Lb	350	510	595	730
Crated Weights	Kg/Lb	410	570	655	790

*DIMENSIONS ARE WITH STANDARD GLASS SIDES

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK®
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 650.342.2400 | Fax: 650.342.7400
 www.oscartek.com

