



Photo shown with optional RAL color finish. Standard cases are unfinished front with stainless steel skin sides.

Visit our website for optional RAL colors and Materials finishes.

[RAL Colors Website](#)

[Materials Brochure PDF](#)

ROSA

CHEESE & CHARCUTERIE SHOWCASE

MODELS: ROSA CC900, ROSA CC1000, ROSA CC1300, ROSA CC1500, ROSA CC1700, ROSA CC2000, ROSA CC2100, ROSA CC2600, ROSA CC3000, ROSA CCA90SQ, ROSA CCA90C

STANDARD FEATURES

- Extra clear glass: front and top glasses with
- front air baffle
- Heated glass sides
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and
- stainless steel skin sides

OPTIONS

- Available in 53 1/8"H with non-refrigerated shelf
- Lift up top glass
- Lift up mechanism for display plate and evaporator (linear models only)
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- Cold storage
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Heated pan for evaporator
- Casters

**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com



Item #: _____ Quantity: _____


ROSA CHEESE & CHARCUTERIE SHOWCASE

MODELS: ROSA CC900, ROSA CC1000, ROSA CC1300, ROSA CC1500, ROSA CC1700, ROSA CC2000, ROSA CC2100, ROSA CC2600, ROSA CC3000, ROSA CCA90SQ, ROSA CCA90C


STANDARD: ROSA CHEESE & CHARCUTERIE

REAR ELEVATIONS(OPERATOR SIDE) SHOWN WITH REAR VENTILATION ON LINEAR MODELS


ROSA CHEESE & CHARCUTERIE LINEAR MODELS



ROSA CCA90SQ



ROSA CCA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.



OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




Item #: _____ Quantity: _____

MODELS: ROSA CC900, ROSA CC1000, ROSA CC1300, ROSA CC1500, ROSA CC1700, ROSA CC2000, ROSA CC2100, ROSA CC2600, ROSA CC3000, ROSA CCA90SQ, ROSA CCA90C


**ALL ROSA CHEESE & CHARCUTERIE LINEAR
MODELS + CCA90SQ (EXCEPT FOR ROSA CC3000)**



**ROSA CHEESE & CHARCUTERIE - AVAILABLE IN
53 1/8" H WITH NON-REFRIGERATED SHELF**



ROSA CHEESE & CHARCUTERIE WITH COLD STORAGE AVAILABLE IN 47 1/4" H & 53 1/8" H



**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com





Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____

ROSA CHEESE & CHARCUTERIE SHOWCASE

MODELS: ROSA CC900, ROSA CC1000, ROSA CC1300, ROSA CC1500, ROSA CC1700, ROSA CC2000, ROSA CC2100, ROSA CC2600, ROSA CC3000, ROSA CCA90SQ, ROSA CCA90C

ROSA CHEESE & CHARCUTERIE						
TECHNICAL FEATURES		MODELS				
		ROSA CC900	ROSA CC1000 (ROSACCR43912)	ROSA CC1300	ROSA CC1500 (ROSACCR45912)	ROSA CC1700
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
Inches-MM	MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	54" - 50" - 70"	54" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"
Inches-MM	MM	1380-1260-1780	1380-1260-1781	1780-1260-1780	1780-1260-1780	1780-1260-1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap	BTU's	2000	2100	2700	3200	3400
Temperature	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60	115/1/60
Electric Supply	(W/A)	550/5.2	550/5.2	650/5.9	710/6.7	850/8.1
Power Consumption	Mode/Type	Automatic	Automatic	Automatic	Automatic	Automatic
Defrost	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Climatic Class	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Refrigerant Gas	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Pipe Size (Inches)	Lb	240	260	279	320	350
Net Weights	Lb	660	660	748	770	792
Crated Weights						

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA CHEESE & CHARCUTERIE					
TECHNICAL FEATURES		MODELS			
		ROSA CC2000 (ROSACCR47912)	ROSA CC2100	ROSA CC2600 (ROSACCR410212)	ROSA CC3000 (ROSACCR411812)
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	88" - 50" - 70"	88" - 50" - 70"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2230-1260-1780	2230-1260-1780	2768 - 1030 - 1400	3175 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap	BTU's	4000	4400	4800	5500
Temperature	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60
Electric Supply	(W/A)	1350/12.9	1400/13.0	1500/14.2	1750/17.5
Power Consumption	Mode/Type	Automatic	Automatic	Automatic	Automatic
Defrost	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Climatic Class	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Refrigerant Gas	Suction, Liquid	1/2" Suction, 1/4" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid
Pipe Size (Inches)	Lb	380	420	459	550
Net Weights	Lb	1065	1087	1110	1132
Crated Weights					

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA CHEESE & CHARCUTERIE			
TECHNICAL FEATURES		MODELS	
		ROSA CCA90SQ (ROSACCR4AP9012)	ROSA CCA90C
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	70" - 70" - 70"	70" - 70" - 70"
Inches-MM	MM	1780 - 1780 - 1780	1780 - 1780 - 1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap	BTU's	4800	5400
Temperature	(V/Ph/Hz)	115/1/60	115/1/60
Electric Supply	(W/A)	1500/14.2	1500/14.2
Power Consumption	Mode/Type	Automatic	Automatic
Defrost	°F/H.R.	75°F-55%RH	75°F-55%RH
Climatic Class	Type	R404A / R452A	R404A / R452A
Refrigerant Gas	Suction, Liquid	5/8" Suction, 5/16" Liquid	1/2" Suction, 1/4" Liquid
Pipe Size (Inches)	Lb	380	380
Net Weights	Lb	990	990
Crated Weights			

*DIMENSIONS WITH POLISHED S/S SIDES

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400

sales@oscartek.com | www.oscartek.com

