



Photo shown with front finish by others. Standard cases are unfinished front with stainless steel skin sides.

Visit our website for optional RAL colors and Materials finishes.

RAL colors - <https://www.ral-farben.de/en/all-ral-colours>

Materials - <https://www.oscartek.com/downloads/os-cartek-materials-brochure.pdf>

Project Name: _____

Item #: _____ Quantity: _____

ROSA

CHOCOLATE SHOWCASE

MODELS: ROSA C900, ROSA C1000, ROSA C1300, ROSA C1500, ROSA C1700, ROSA C2000, ROSA C2100, ROSA C2600, ROSA C3000, ROSA CA90SQ, ROSA CA90C

STANDARD FEATURES

- Humidity control
- Extra clear glass: front, top, and sides glasses with front air baffle
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8"H with non-refrigerated shelf
- Narrow depth 25 7/16"D
- Lift up top glass
- Lift up mechanism for display plate and evaporator (linear models only)
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- Cold storage
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Heated pan for evaporator
- Casters

**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400


sales@oscartek.com | www.oscartek.com

ROSA CHOCOLATE SHOWCASE

MODELS: ROSA C900, ROSA C1000, ROSA C1300, ROSA C1500, ROSA C1700, ROSA C2000, ROSA C2100, ROSA C2600, ROSA C3000, ROSA CA90SQ, ROSA CA90C


STANDARD: ROSA CHOCOLATE PLAN VIEWS

ROSA CHOCOLATE LINEAR MODELS




ELECTRICAL LEGEND	
	REFRIGERATION LINES
	DRAIN
	POWER

ROSA CA90SQ



ROSA CA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA CHOCOLATE SHOWCASE

MODELS: ROSA C900, ROSA C1000, ROSA C1300, ROSA C1500, ROSA C1700, ROSA C2000, ROSA C2100, ROSA C2600, ROSA C3000, ROSA CA90SQ, ROSA CA90C


STANDARD: ROSA CHOCOLATE

REAR ELEVATIONS(OPERATOR SIDE) SHOWN WITH REAR VENTILATION ON LINEAR MODELS


ROSA CHOCOLATE LINEAR MODELS



ROSA CA90SQ



ROSA CA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com



Item #: _____ Quantity: _____



Project Name: _____

Item #: _____ Quantity: _____

Discover the Art of Display...

ROSA CHOCOLATE SHOWCASE

MODELS: ROSA C900, ROSA C1000, ROSA C1300, ROSA C1500, ROSA C1700, ROSA C2000, ROSA C2100, ROSA C2600, ROSA C3000, ROSA CA90SQ, ROSA CA90C

ROSA CHOCOLATE						
TECHNICAL FEATURES		MODELS				
		ROSA C900	ROSA C1000	ROSA C1300	ROSA C1500	ROSA C1700
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
Inches-MM	MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	54" - 50" - 70"	54" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"
Inches-MM	MM	1380-1260-1780	1380-1260-1781	1780-1260-1780	1780-1260-1780	1780-1260-1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck	Deck
	°F	55°F to 60°F	55°F to 60°F	55°F to 60°F	55°F to 60°F	55°F to 60°F
Operating Temperature	Relative Humidity	55%RH to 65%RH	55%RH to 65%RH	55%RH to 65%RH	55%RH to 65%RH	55%RH to 65%RH
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +35°F Evap						
Temperature	BTU's	1500	1700	2200	2600	2900
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	550/5.2	550/5.2	650/5.9	710/6.7	850/8.1
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	210	220	255	265	310
Crated Weights	Lb	660	660	748	770	792

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA CHOCOLATE					
TECHNICAL FEATURES		MODELS			
		ROSA C2000	ROSA C2100	ROSA C2600	ROSA C3000
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	88" - 50" - 70"	88" - 50" - 70"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2230-1260-1780	2230-1260-1780	2768 - 1030 - 1400	3175 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
	°F	55°F to 60°F	55°F to 60°F	55°F to 60°F	55°F to 60°F
Operating Temperature	Relative Humidity	55%RH to 65%RH	55%RH to 65%RH	55%RH to 65%RH	55%RH to 65%RH
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +35°F Evap					
Temperature	BTU's	3300	3700	4200	5000
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	890/8.3	1150/10.9	1250/11.7	1450/13.9
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid
Net Weights	Lb	330	350	440	490
Crated Weights	Lb	1065	1087	1110	1132

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA CHOCOLATE			
TECHNICAL FEATURES		MODELS	
		ROSA CA90SQ	ROSA CA90C
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	70" - 70" - 70"	70" - 70" - 70"
Inches-MM	MM	1780 - 1780 - 1780	1780 - 1780 - 1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck
	°F	55°F to 60°F	55°F to 60°F
Operating Temperature	Relative Humidity	55%RH to 65%RH	55%RH to 65%RH
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ +35°F Evap			
Temperature	BTU's	3900	4200
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	1150/10.9	1150/10.9
Defrost	Mode/Type	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	410	350
Crated Weights	Lb	990	990

*DIMENSIONS WITH POLISHED S/S SIDES

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400

sales@oscartek.com | www.oscartek.com

