



Discover the Art of Display...



Photo shown with optional RAL color finish.
Standard cases are unfinished front with stainless steel skin sides.

Visit our website for optional RAL colors
and Materials finishes.

RAL colors - <https://www.ral-farben.de/en/all-ral-colours>

Materials - <https://www.oscartek.com/downloads/oscartek-materials-brochure.pdf>

Project Name: _____

Item #: _____ Quantity: _____

ROSA DELI/PASTRY SHOWCASE

MODELS: ROSA DP900, ROSA DP1000, ROSA DP1300, ROSA DP1500, ROSA DP1700, ROSA DP2000, ROSA DP2100, ROSA DP2600, ROSA DP3000, ROSA DPA90SQ, ROSA DPA90C

STANDARD FEATURES

- Extra clear glass: front and top glasses with front air baffle
- Heated glass sides
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8"H with non-refrigerated shelf
- Narrow depth 25 7/16"D
- Lift up top glass
- Lift up mechanism for display plate and evaporator (linear models only)
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- Cold storage
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Heated pan for evaporator
- Casters

**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400

sales@oscartek.com | www.oscartek.com




ROSA DELI/PASTRY SHOWCASE

MODELS: ROSA DP900, ROSA DP1000, ROSA DP1300, ROSA DP1500, ROSA DP1700, ROSA DP2000, ROSA DP2100, ROSA DP2600, ROSA DP3000, ROSA DPA90SQ, ROSA DPA90C


STANDARD: ROSA DELI/PASTRY PLAN VIEWS

ROSA DELI/PASTRY LINEAR MODELS




ELECTRICAL LEGEND	
	REFRIGERATION LINES
	DRAIN
	POWER

ROSA DPA90SQ



ROSA DPA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA DELI/PASTRY SHOWCASE

MODELS: ROSA DP900, ROSA DP1000, ROSA DP1300, ROSA DP1500, ROSA DP1700, ROSA DP2000, ROSA DP2100, ROSA DP2600, ROSA DP3000, ROSA DPA90SQ, ROSA DPA90C


STANDARD: ROSA DELI/PASTRY

REAR ELEVATIONS(OPERATOR SIDE) SHOWN WITH REAR VENTILATION ON LINEAR MODELS


ROSA DELI/PASTRY LINEAR MODELS



ROSA DPA90SQ



ROSA DPA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com





Item #: _____ Quantity: _____

MODELS: ROSA DP900, ROSA DP1000, ROSA DP1300, ROSA DP1500, ROSA DP1700, ROSA DP2000, ROSA DP2100, ROSA DP2600, ROSA DP3000, ROSA DPA90SQ, ROSA DPA90C


**ALL ROSA DELI/PASTRY LINEAR MODELS
+ DPA90SQ (EXCEPT FOR ROSA DP3000)**



**ROSA DELI/PASTRY - AVAILABLE IN 53 1/8"H
WITH NON-REFRIGERATED SHELF**



ROSA DELI/PASTRY NARROW
AVAILABLE IN 47 1/4"H & 53 1/8"H



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com





Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____

ROSA DELI/PASTRY SHOWCASE

MODELS: ROSA DP900, ROSA DP1000, ROSA DP1300, ROSA DP1500, ROSA DP1700, ROSA DP2000, ROSA DP2100, ROSA DP2600, ROSA DP3000, ROSA DPA90SQ, ROSA DPA90C

ROSA DELI/PASTRY						
TECHNICAL FEATURES		MODELS				
Model Name (Model Code)		ROSA DP900 (ROSARV90)	ROSA DP1000 (ROSARV100)	ROSA DP1300 (ROSARV130)	ROSA DP1500 (ROSARV150)	ROSA DP1700 (ROSARV170)
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
Inches-MM	MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	54" - 50" - 70"	54" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"
Inches-MM	MM	1380-1260-1780	1380-1260-1780	1780-1260-1780	1780-1260-1780	1780-1260-1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap Temperature	BTU's	1500	1700	2200	2600	2900
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	550/5.2	550/5.2	650/5.9	710/6.7	850/8.1
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	210	220	255	265	310
Crated Weights	Lb	660	660	748	770	792

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA DELI/PASTRY					
TECHNICAL FEATURES		MODELS			
Model Name (Model Code)		ROSA DP2000 (ROSARV200)	ROSA DP2100 (ROSARV210)	ROSA DP2600 (ROSARV260)	ROSA DP3000 (ROSARV300)
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	88" - 50" - 70"	88" - 50" - 70"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2230-1260-1780	2230-1260-1780	2768 - 1030 - 1400	3175 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap Temperature	BTU's	3300	3700	4200	5000
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	890/8.3	1150/10.9	1250/11.7	1450/13.9
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid
Net Weights	Lb	330	350	440	490
Crated Weights	Lb	1065	1087	1110	1132

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA DELI/PASTRY			
TECHNICAL FEATURES		MODELS	
Model Name (Model Code)		ROSA DPA90SQ (ROSARVAP90SQ)	ROSA DPA90C (ROSARVAP90SF)
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	70" - 70" - 70"	70" - 70" - 70"
Inches-MM	MM	1780 - 1780 - 1780	1780 - 1780 - 1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap Temperature	BTU's	3900	4200
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60
Power Consumption	(W/A)	1150/10.9	1150/10.9
Defrost	Mode/Type	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	410	350
Crated Weights	Lb	990	990

*DIMENSIONS WITH POLISHED S/S SIDES

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400

sales@oscartek.com | www.oscartek.com

