



Discover the Art of Display...



Photo shown with optional G1 glass top and stone work top. Standard cases are R4 glass top and brushed s/s work top.

Visit our website for optional RAL colors and Materials finishes.

[RAL Colors Website](#)

[Materials Brochure PDF](#)

Project Name: _____

Item #: _____ Quantity: _____

ROSA FISH SHOWCASE

MODELS: ROSA F900, ROSA F100, ROSA F1300, ROSA F1500, ROSA F1700, ROSA F2000, ROSA F2100, ROSA F2600, ROSA F3000, ROSA FA90SQ, ROSA FA90C

STANDARD FEATURES

- Extra clear glass: front, top, and sides glasses
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel cold wall static cooling insulated bin to retain ice
- Insulated stainless steel interior AISI 316 anti-corrosion
- Floor sink required
- All tempered glass
- Cases ship standard unfinished front and stainless steel sides

OPTIONS

- Available in 53 1/8"H with non-refrigerated shelf
- Narrow depth 25 7/16"D
- Lift up top glass
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Unfinished panels to accept custom millwork by others
- Casters

**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA FISH SHOWCASE

MODELS: ROSA F900, ROSA F100, ROSA F1300, ROSA F1500, ROSA F1700, ROSA F2000, ROSA F2100, ROSA F2600, ROSA F3000, ROSA FA90SQ, ROSA FA90C

STANDARD: ROSA FISH SHOWCASE


PLAN VIEWS

ALL ROSA FISH LINEAR MODELS




ELECTRICAL LEGEND	
	REFRIGERATION LINES
	DRAIN
	POWER

ROSA FA90SQ



ROSA FA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA FISH SHOWCASE

MODELS: ROSA F900, ROSA F100, ROSA F1300, ROSA F1500, ROSA F1700, ROSA F2000, ROSA F2100, ROSA F2600, ROSA F3000, ROSA FA90SQ, ROSA FA90C


STANDARD: ROSA FISH SHOWCASE

REAR ELEVATIONS(OPERATOR SIDE) SHOWN WITH REAR VENTILATION ON LINEAR MODELS


ALL ROSA FISH LINEAR MODELS



ROSA FA90SQ



ROSA FA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
 512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com


ROSA FISH SHOWCASE

MODELS: ROSA F900, ROSA F100, ROSA F1300, ROSA F1500, ROSA F1700, ROSA F2000, ROSA F2100, ROSA F2600, ROSA F3000, ROSA FA90SQ, ROSA FA90C


STANDARD: ROSA FISH SHOWCASE

SECTION VIEWS


**ALL ROSA FISH LINEAR MODELS
EXCEPT FOR ROSA F3000**



ROSA F3000




ROSA FA90C




OPTIONAL: ROSA FISH SHOWCASE

SECTION VIEWS

**ROSA FISH NARROW
AVAILABLE IN 47 1/4"H & 53 1/8"H**



**ROSA FISH - AVAILABLE IN 53 1/8"H WITH
NON-REFRIDGERATED SHELF**



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.



Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____

ROSA FISH SHOWCASE

MODELS: ROSA F900, ROSA F100, ROSA F1300, ROSA F1500, ROSA F1700, ROSA F2000, ROSA F2100, ROSA F2600, ROSA F3000, ROSA FA90SQ, ROSA FA90C

ROSA FISH						
TECHNICAL FEATURES		MODELS				
		ROSA F900	ROSA F1000 (ROSAFR43912)	ROSA F1300	ROSA F1500 (ROSAFR45912)	ROSA F1700
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
Inches-MM	MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	54" - 50" - 70"	54" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"
Inches-MM	MM	1380-1260-1780	1380-1260-1781	1780-1260-1780	1780-1260-1780	1780-1260-1780
Operating Temperature	°F	36°F to 40°F	36°F to 40°F	36°F to 40°F	36°F to 40°F	36°F to 40°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ -3°F Evap Temperature	BTU's	2000	2100	2700	3200	3400
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	450/4.4	550/5.2	650/5.4	850/8.1	890/8.3
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	240	260	279	320	350
Crated Weights	Lb	660	660	748	770	792

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA FISH					
TECHNICAL FEATURES		MODELS			
		ROSA F2000 (ROSAFR47912)	ROSA F2100	ROSA F2600	ROSA F3000
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	88" - 50" - 70"	88" - 50" - 70"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2230-1260-1780	2230-1260-1780	2768 - 1030 - 1400	3175 - 1030 - 1400
Operating Temperature	°F	36°F to 40°F	36°F to 40°F	36°F to 40°F	36°F to 40°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ -3°F Evap Temperature	BTU's	4000	4400	4800	5500
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	1350/12.9	1400/13.0	1500/14.2	1750/17.5
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	380	420	459	550
Crated Weights	Lb	1065	1087	1110	1132

*DIMENSIONS WITH POLISHED S/S SIDES

ROSA FISH			
TECHNICAL FEATURES		MODELS	
		ROSA FA90SQ (ROSAFR4AP9012)	ROSA FA90C
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	70" - 70" - 70"	70" - 70" - 70"
Inches-MM	MM	1780 - 1780 - 1780	1780 - 1780 - 1780
Operating Temperature	°F	36°F to 40°F	36°F to 40°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ -3°F Evap Temperature	BTU's	4800	5400
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60
Power Consumption	(W/A)	1500/14.2	1500/14.2
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	380	380
Crated Weights	Lb	990	990

*DIMENSIONS WITH POLISHED S/S SIDES

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400

sales@oscartek.com | www.oscartek.com

