



Discover the Art of Display...



Photo shown with optional RAL color finish. Standard cases are unfinished front with stainless steel sides.

Visit our website for optional RAL colors and Materials finishes.

[RAL Colors Website](#)

[Materials Brochure PDF](#)

Project Name: _____

Item #: _____ Quantity: _____

ROSA GELATO/ICE CREAM SHOWCASE

MODELS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150

STANDARD FEATURES

- Extra clear glass: top glass only
- Heated glass front and sides glasses
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel sides

OPTIONS

- Available in 53 1/8"H
- Narrow depth 25 7/16"D
- Lift up top glass
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Switch device from low temp. (-18°C) to positive temp. (+4°C)
- Stainless steel display trays for ice cream cakes
- Stainless steel pans (4 liter, 5 liter, and 8 liter)
- Dipper well
- Cone holder
- Remote condensing unit
- Popsicle display tray (stainless steel & plastic)
- Plastic available in color options (see images on the right)
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Casters

**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA GELATO/ICE CREAM SHOWCASE

MODELS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150


STANDARD: ROSA GELATO/ICE CREAM

PLAN VIEWS


4 LITER PANS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150




5 LITER PANS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150



5 & 8 LITER PANS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150




8 LITER PANS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150



STANDARD: ROSA GELATO/ICE CREAM

REAR ELEVATIONS(OPERATOR SIDE)



ELECTRICAL LEGEND	
	REFRIGERATION LINES
	DRAIN
	POWER

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA GELATO/ICE CREAM SHOWCASE


MODELS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150

STANDARD: ROSA GELATO/ICE CREAM SECTION VIEWS


4 LITER PANS




5 LITER PANS



5 & 8 LITER PANS




8 LITER PANS



OPTIONAL: ROSA GELATO/ICE CREAM SECTION VIEWS

AVAILABLE IN 53 1/8" H



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400


sales@oscartek.com | www.oscartek.com

OPTIONAL: ROSA NARROW GELATO/ICE CREAM SHOWCASE


MODELS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150

OPTIONAL: ROSA GELATO/ICE CREAM PLAN VIEWS


ROSA-N G1000




ROSA-N G1150




ROSA-N G1650




ROSA-N G2150



OPTIONAL: ROSA NARROW GELATO/ICE CREAM REAR ELEVATIONS(OPERATOR SIDE) & SECTION VIEW




ROSA NARROW
AVAILABLE IN 47-1/4"H & 53-1/8"H



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

ROSA GELATO/ICE CREAM SHOWCASE

MODELS: ROSA G1000, ROSA G1150, ROSA G1650, ROSA G2150

ROSA GELATO/ICE CREAM					
TECHNICAL FEATURES		MODELS			
		ROSA G1000	ROSA G1150 (ROSAGLR44512)	ROSA G1650 (ROSAGLR46512)	ROSA G2150 (ROSAGLR48512)
External Dimensions (L-D-H)	Inches	*39 1/2" - 32 5/16" - 47 1/4"	*45 3/8" - 32 5/16" - 47 1/4"	*65 1/16" - 32 5/16" - 47 1/4"	*84 3/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1003 - 821 - 1200	*1153 - 821 - 1200	*1653 - 821 - 1200	*2153 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	54" - 50" - 70"	54" - 50" - 70"	70" - 50" - 70"	88" - 50" - 70"
Inches-MM	MM	1380-1260-1780	1380-1260-1780	1780-1260-1780	2230-1260-1780
4 Liter Pan Capacity** 10 1/8" x 6 1/8" x 5 7/8" (258mmx 156mm x 150mm)	Pan Configuration				
5 Liter Pan Capacity** 14 3/16" x 6 1/2" x 4 3/4" (360mm x 165mm x 120mm)	Pan Configuration				
8 Liter Pan Capacity** 14 3/16" x 9 13/16" x 4 3/4" (360mm x 250mm x 120mm)	Pan Configuration				
5 Liter + 8 Liter Pan Capacity** 5 Liter: 14 3/16" x 6 1/2" x 4 3/4" (360mm x 165mm x 120mm) 8 Liter: 14 3/16" x 9 13/16" x 4 3/4" (360mm x 250mm x 120mm)	Pan Configuration				
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
Operating Temperature	°F	-10°F to +20°F	-10°F to +20°F	-10°F to +20°F	-10°F to +20°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60
BTU'S @ -31°F Evap Temperature	BTU'S	1900	1900	2600	3100
Power Consumption	(W/A)	1700/9.1	1700/9.1	2200/11.5	2700/14.8
Defrost	Mode/Type	Hot Gas	Hot Gas	Hot Gas	Hot Gas
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	5/8" Suction, 3/8" Liquid	5/8" Suction, 3/8" Liquid	5/8" Suction, 3/8" Liquid	3/4" Suction, 3/8" Liquid
Net Weights	Lb	365	375	530	605
Crated Weights	Lb	660	682	792	1065

*DIMENSIONS WITH POLISHED S/S SIDES

**PANS NOT INCLUDED

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com

