



Photo shown with front and side by others. Standard cases are unfinished front with stainless steel sides.

Visit our website for optional RAL colors and Materials finishes.

RAL colors - <https://www.ral-farben.de/en/all-ral-colours>

Materials - <https://www.oscartek.com/downloads/oscartek-materials-brochure.pdf>

Project Name: _____

Item #: _____ Quantity: _____

ROSA PRO DELI/PASTRY SHOWCASE

MODELS: ROSA PRO DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C

STANDARD FEATURES

- Extra clear glass: front and top glasses with front air baffle
- Heated glass sides
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel sides

OPTIONS

- Available in 53 1/8"H with non-refrigerated shelf
- Narrow depth 25 7/16"D
- Lift up top glass
- Lift up mechanism for display plate and evaporator (linear models only)
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- Cold storage
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Heated pan for evaporator
- Casters

**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA PRO DELI/PASTRY

MODELS: ROSA PRO DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C


STANDARD: ROSA PRO DELI/PASTRY PLAN VIEWS

ROSA PRO DELI/PASTRY LINEAR MODELS




ELECTRICAL LEGEND	
	REFRIGERATION LINES
	DRAIN
	POWER

ROSA PRO DPA90SQ



ROSA PRO DPA90C



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com





Discover the Art of Display...

Project Name: _____


Item #: _____ Quantity: _____

ROSA PRO DELI/PASTRY


MODELS: ROSA PRO DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C

STANDARD: ROSA PRO DELI/PASTRY REAR ELEVATIONS(OPERATOR SIDE)


ROSA PRO DELI/PASTRY LINEAR MODELS



ROSA PRO DPA90SQ



ROSA PRO DPA90C



**Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.*

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA PRO DELI/PASTRY


MODELS: ROSA PRO DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C

STANDARD: ROSA PRO DELI/PASTRY SECTION VIEWS


**ALL ROSA PRO DELI/PASTRY LINEAR MODELS
+ DPA90SQ (EXCEPT FOR ROSA DP3000)**



ROSA PRO DP3000





ROSA PRO DPA90C



OPTIONAL: ROSA PRO DELI/PASTRY SECTION VIEWS

**ROSA PRO DELI/PASTRY - AVAILABLE IN 53 1/8"H
WITH NON-REFRIGERATED SHELF**

**ROSA PRO DELI/PASTRY WITH COLD
STORAGE AVAILABLE IN 47 1/4"H & 53 1/8"H**



*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK
512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com





Discover the Art of Display...

Project Name: _____

Item #: _____ Quantity: _____

ROSA PRO DELI/PASTRY

MODELS: ROSA PRO DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C

ROSA PRO DELI/PASTRY						
TECHNICAL FEATURES		MODELS				
		ROSA PRO DP900 (ROSAPDPR43512)	ROSA PRO DP1000 (ROSAPDPR43912)	ROSA PRO DP1300 (ROSAPDPR45112)	ROSA PRO DP1500 (ROSAPDPR45912)	ROSA PRO DP1700 (ROSAPDPR46712)
External Dimensions (L-D-H)	Inches	*35 9/16" - 40 3/16" - 47 1/4"	*39 1/2" - 40 3/16" - 47 1/4"	*51 5/16" - 40 3/16" - 47 1/4"	*59 3/16" - 40 3/16" - 47 1/4"	*67 1/16" - 40 3/16" - 47 1/4"
Inches-MM	MM	*903 - 1021 - 1200	*1003 - 1021 - 1200	*1303 - 1021 - 1200	*1503 - 1021 - 1200	*1703 - 1021 - 1200
External Dimensions (L-D-H)	Inches	54" - 50" - 70"	54" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"	70" - 50" - 70"
Inches-MM	MM	1380-1260-1780	1380-1260-1780	1780-1260-1780	1780-1260-1780	1780-1260-1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap	BTU's	2000	2200	2800	3200	3800
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	690/6.4	710/6.7	850/8.1	1050/9.5	1200/11.4
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	5/8" Suction, 5/16" Liquid
Net Weights	Lb	230	250	280	300	340
Crated Weights	Lb	660	660	748	770	792

*DIMENSIONS ARE WITH POLISHED S/S SIDES

ROSA PRO DELI/PASTRY					
TECHNICAL FEATURES		MODELS			
		ROSA PRO DP2000 (ROSAPDPR47912)	ROSA PRO DP2100 (ROSAPDPR48312)	ROSA PRO DP2600 (ROSAPDPR41012)	ROSA PRO DP3000 (ROSAPDPR41112)
External Dimensions (L-D-H)	Inches	*78 7/8" - 40 3/16" - 47 1/4"	*82 13/16" - 40 3/16" - 47 1/4"	*102 1/2" - 40 3/16" - 47 1/4"	*118 1/4" - 40 3/16" - 47 1/4"
Inches-MM	MM	*2003 - 1021 - 1200	*2103 - 1021 - 1200	*2603 - 1021 - 1200	*3003 - 1021 - 1200
External Dimensions (L-D-H)	Inches	88" - 50" - 70"	88" - 50" - 70"	109" - 47" - 55 1/4"	125" - 47" - 55 1/4"
Inches-MM	MM	2230-1260-1780	2230-1260-1780	2768 - 1193 - 1400	3175 - 1193 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap	BTU's	4500	4700	5500	6000
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	1300/12.3	1350/12.8	1500/13.9	1650/15.8
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 3/8" Liquid
Net Weights	Lb	380	400	480	500
Crated Weights	Lb	1065	1087	1110	1132

*DIMENSIONS ARE WITH POLISHED S/S SIDES

ROSA PRO DELI/PASTRY			
TECHNICAL FEATURES		MODELS	
		ROSA PRO DPA90SQ (ROSAPDPR4AP9012)	ROSA PRO DPA90C
External Dimensions (L-D-H)	Inches	*59 1/8" - 40 3/16" - 47 1/4"	*78 1/8" - 40 3/16" - 47 1/4"
Inches-MM	MM	*1503 - 1021 - 1200	*1984 - 1021 - 1200
External Dimensions (L-D-H)	Inches	70" - 70" - 70"	70" - 70" - 70"
Inches-MM	MM	1780 - 1780 - 1780	1780 - 1780 - 1780
Refrigeration	Type	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck
Operating Temperature	°F	38°F to 41°F	38°F to 41°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap	BTU's	4500	4800
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60
Power Consumption	(W/A)	1500/13.9	1500/13.9
Defrost	Mode/Type	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid
Net Weights	Lb	440	440
Crated Weights	Lb	990	990

*DIMENSIONS ARE WITH POLISHED S/S SIDES

*Oscartek reserves the right to change, modify, discontinue, or change any features, sizes, or capacity on any model without prior notice.

OSCARTEK

512 South Airport Blvd., South San Francisco, CA 94080

Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400

sales@oscartek.com | www.oscartek.com

